

## PUBLISHED VERSION

Pearce, Charles Edward Miller.

Oriented bond percolation and phase transitions: an analytic approach, *Numerical Analysis and Applied Mathematics: International Conference of Numerical Analysis and Applied Mathematics* / Theodore E. Simos, George Psihoyios and Ch. Tsitouras (eds.):697-698.

© 2007 American Institute of Physics. This article may be downloaded for personal use only. Any other use requires prior permission of the author and the American Institute of Physics.

The following article appeared in AIP Conf. Proc. -- September 6, 2007 -- Volume 936, p. 936-698 and may be found at <http://link.aip.org/link/?APCPCS/936/697/1>

### PERMISSIONS

[http://www.aip.org/pubservs/web\\_posting\\_guidelines.html](http://www.aip.org/pubservs/web_posting_guidelines.html)

The American Institute of Physics (AIP) grants to the author(s) of papers submitted to or published in one of the AIP journals or AIP Conference Proceedings the right to post and update the article on the Internet with the following specifications.

On the authors' and employers' webpages:

- There are no format restrictions; files prepared and/or formatted by AIP or its vendors (e.g., the PDF, PostScript, or HTML article files published in the online journals and proceedings) may be used for this purpose. If a fee is charged for any use, AIP permission must be obtained.
- An appropriate copyright notice must be included along with the full citation for the published paper and a Web link to AIP's official online version of the abstract.

31<sup>st</sup> March 2011

<http://hdl.handle.net/2440/44704>

# Oriented Bond Percolation and Phase Transitions: an Analytic Approach

C. E. M. Pearce

*School of Mathematical Sciences, University of Adelaide, Adelaide SA 5005, Australia*

**Abstract.** An analytic approach is introduced for the determination of rigorous lower bounds for the critical probability of bond percolation in an oriented lattice. This is illustrated by an example, the oriented square lattice in two dimensions.

**Keywords:** oriented bond percolation, critical probability, phase transition, positive term power series

**PACS:** 64.60.Ak

## 1. INTRODUCTION

Percolation problems on infinite lattices are the subject of a large mathematical literature, including several books. See, for example, the consolidated accounts of Smythe and Wierman [19], Kesten [15], Durrett [8], Hughes [13, 14], Grimmett [9, 10] and Bollobás and Riordan [4].

The literature relates to bond graphs and also to site and mixed bond-and-site graph processes. With bond graphs, each bond is, independently of every other, open with probability  $p$  and closed with probability  $1 - p$ . When there exists a connected path of open bonds from the origin to infinity, percolation is said to occur. The probability  $\theta(p)$  of percolation is a non-decreasing function of  $p$ .

A common phenomenon is for there to exist a critical value  $p = p_{cb} \in (0, 1)$  such that

$$\theta(p) \begin{cases} = 0 & \text{for } 0 \leq p < p_{cb} \\ > 0 & \text{for } p_{cb} < p \leq 1 \end{cases}.$$

When this phenomenon occurs, the process is said to undergo a phase transition at  $p = p_{cb}$ . The exact determination of the critical probability  $p_{cb}$  is usually difficult and has been achieved for relatively few graph configurations. Much effort has gone into finding good upper and lower bounds for critical probabilities: see, for example, [1], [5], [17], [20], [21], [22]. Work in this area is characterized by subtle and intricate probabilistic arguments and sometimes also heavy computation.

The problem has proved more difficult in oriented graphs. In the bond case, each bond has an orientation and paths are required to proceed in the direction of that orientation on each link. For a discussion of oriented percolation see [7] and [11].

The graph  $\vec{\mathbb{L}}^2$ , the single-quadrant oriented square lattice in two dimensions, is considered in an oriented bond or site percolation model by Durrett [7], Liggett [16] and Balister, Bollobás and Stacey [1]. Durrett [7] derived the rigorous upper bound  $p_{cb} \leq 0.84$  for the critical probability. Balister, Bollobás and Stacey improved this to  $p_{cb} \leq 0.6863$  in 1993 [1] and to  $p_{cb} \leq 0.6735$  in 1994 [2]. In 1995 Liggett [16] derived  $p_{cb} \leq 2/3$ , currently the best published upper bound. The arguments involved are quite involved.

There are few published rigorous results available for lower bounds. Hammersley [12] derived  $p_{cb} \geq 0.5176$  in 1957 and Dhar [6]  $p_{cb} \leq 0.6298$  in 1982.

An elegant analytic approach was introduced by Bishir in 1963 [3] to derive a lower bound for the critical probability for site percolation on the oriented lattice  $\vec{\mathbb{L}}^2$ . The ideas have been taken up by Pearce and Fletcher [18], and used very recently to give a considerable improvement on known exact results for site percolation on the related lattice  $\vec{\mathbb{L}}^2_{alt}$ .

In this article we provide an example, that of  $\vec{\mathbb{L}}^2$ , showing how a modification of this approach may be used to derive a rigorous lower bound for critical probabilities in a bond-percolation setting. Given the effort researchers have expended on this problem, it would be remarkable if we obtained the best result to date and we do not. However the bound,  $2 - \sqrt{2} \approx 0.586$ , is surprisingly good considering the relative simplicity of the derivation.

## REFERENCES

1. P. Balister, B. Bollobás and A. Stacey, Upper bounds for the critical probability of oriented percolation in two dimensions, *Proc. Roy. Soc. London Ser. A* **440** (1993), 201–220.
2. P. Balister, B. Bollobás and A. Stacey, Improved upper bounds for the critical probability of oriented percolation in two dimensions, *Random Structures Algorithms* **5** (1994), 573–589.
3. J. Bishir, A lower bound for the critical probability in the one-quadrant oriented-atom percolation process, *J. Roy. Statist. Soc. Ser. B* **25** (1963), 401–404.
4. B. Bollobás and O. Riordan, *Percolation*, Cambridge University Press, Cambridge (2006).
5. B. Bollobás and A. Stacey, Approximate upper bounds for the critical probability of oriented percolation in two dimensions based on rapidly mixing Markov chains, *J. Appl. Probab.* **34** (1997), 859–867.
6. D. Dhar, Diode-resistor percolation in two and three dimensions: I. Upper bounds on the critical probability, *J. Phys. A* **15** (1982), 1849–1858.
7. R. Durrett, *Oriented percolation in two dimensions*, *Ann. Probab.* **12** (1984), 999–1040.
8. R. Durrett, *Lecture Notes on Particle Systems and Percolation*, Wadsworth & Brooks/Cole Advanced Books & Software, London (1988).
9. G. Grimmett, Percolation and disordered systems, in Lectures on Probability Theory and Statistics (Saint-Flour, 1996), *Lecture Notes in Math.* **1665** (1997), 153–300.
10. G. Grimmett, *Percolation*, 2nd Edition, Springer-Verlag, Berlin (1999).
11. G. Grimmett and P. Hiemer, Directed percolation and random walk, *In and Out of Equilibrium*, Ed. V. Sidoravicius, Birkhauser, Berlin (2002), 273–297.
12. J.M. Hammersley, Percolation processes: lower bounds for the critical probability, *Ann. Math. Statist.* **28** (1957), 790–795.
13. B.D. Hughes, *Random Walks and Random Environments, Volume 1: Random Environments*, Oxford University Press, Oxford (1995).
14. B.D. Hughes, *Random Walks and Random Environments, Volume 2: Random Environments*, Oxford University Press, Oxford (1996).
15. H. Kesten, *Percolation Theory for Mathematicians*, Progress in Probability and Statistics, vol. 2, Birkhäuser Boston, Mass. (1982).
16. T.M. Liggett, Survival of discrete time growth models, with applications to oriented percolation, *Ann. Appl. Probab.* **5** (1995), 613–636.
17. T. Łuczak and J.C. Wierman, Critical probability bounds for two-dimensional site percolation models, *J. Physics A* **21** (1988), 3131–3138.
18. C.E.M. Pearce and F.K. Fletcher, Oriented site percolation, phase transitions and probability bounds, *J. Ineq. Pure and Appl. Math.* **6** (5) article 135 (2005), 1–15.
19. R.T. Smyth and J.C. Wierman, *First-Passage Percolation on the Square Lattice*, Lecture Notes in Mathematics **671**, Springer-Verlag, Berlin (1978).
20. J.C. Wierman, Bond percolation critical probability bounds derived by edge contraction, *J. Physics A* **21** (1988), 1487–1492.
21. J.C. Wierman, Substitution method critical probability bounds for the square lattice site percolation model, *Combinatorics, Probability and Computing* **4** (1995), 181–188.
22. J.C. Wierman, An improved upper bound for the hexagonal lattice site percolation critical probability, *Combinatorics, Probability and Computing* **11** (2002), 629–643.