SOFT TISSUE ATTACHMENT TO TITANIUM IMPLANTS COATED WITH GROWTH FACTORS

A report submitted to the University of Adelaide in partial fulfilment of the requirements of the Degree of Doctor of Clinical Dentistry (Periodontology)

Christopher William BATES BDS (Adel), MClinDent (Pros) (Lond)



DECLARATION

This work contains no material which has been accepted for the award of any other degree or diploma in any university or other tertiary institution to Christopher Bates and, to the best of my knowledge and belief, contains no material previously published or written by another person, except where due reference has been made in the text.

I give consent to this copy of my thesis, when deposited in the University Library, being made available for loan and photocopying, subject to the provisions of the Copyright Act 1968.

I also give permission for the digital version of my thesis to be made available on the web, via the University's digital research repository, the Library catalogue, the Australasian Digital Theses Program (ADTP) and also through web search engines, unless permission has been granted by the University to restrict access for a period of time.

| Declared by: | Witnessed by: | |
|--------------|---------------|--|
| | | |
| | | |
| | | |
| | | |
| CW BATES | | |
| | | |
| Date: | Date: | |

ACKNOWLEDGEMENTS

The following people have been instrumental in the commencement and completion of this research project:

The principal supervisor, Professor Mark Bartold, for the original idea, expert knowledge and guidance for this research project.

The laboratory supervisor, Mr Victor Marino, for his expertise, tireless efforts and infectious enthusiasm.

Professor Nick Fazzalari for his advice and making available the use of his staff and laboratory.

Ms Vivienne Le from the Bone and Joint Research Laboratory, IMVS, for her skills in tissue sample processing; Ms Lyn Waterhouse from Adelaide Microscopy for her expertise in confocal microscopy; and Ms Catherine Offler from the Colgate Australian Clinical and Dental Research Centre for her assistance in the final editing of this manuscript.

TABLE OF CONTENTS

| DECLARATION | 2 |
|--|-----------|
| ACKNOWLEDGEMENTS | 3 |
| TABLE OF CONTENTS | 4 |
| Chapter 1. A REVIEW OF THE STRUCTURE OF THE PERI-IMPLA | NT SOFT |
| TISSUES AND THE POSSIBLE IMPLICATIONS OF COATING TITANIUM I | MPLANTS |
| WITH GROWTH FACTORS ON SOFT TISSUE ATTACHMENT | 9 |
| 1.1 INTRODUCTION | 10 |
| 1.2 DENTOGINGIVAL JUNCTION | 11 |
| 1.2.1 Oral Epithelium | 12 |
| 1.2.2 Oral Sulcular Epithelium | 13 |
| 1.2.3 Junctional Epithelium | 14 |
| 1.2.4 Connective Tissue | 15 |
| 1.3 DENTAL IMPLANT / PERI-IMPLANT MUCOSA INTERFACE | 17 |
| 1.3.1 Histology | 17 |
| 1.3.2 Animal and Human Studies | 18 |
| 1.3.3 Mucosal Barrier at Single- and Two-Stage Implant Abutments | 19 |
| 1.3.4 Vascular Supply of the Peri-Implant Mucosa | 21 |
| 1.3.5 Morphogenesis of the Peri-Implant Mucosa | 21 |
| 1.4 INFLUENCE OF IMPLANT SURFACE CHARACTERISTICS ON SOI | FT TISSUE |
| INTEGRATION | 22 |
| 1.4.1 Influence of Material Type | 23 |
| 1.4.2 Effect of Surface Topography | 24 |
| 1.4.3 Effect of Surface Modification | 27 |
| 1.5 GROWTH AND DIFFERENTIATION FACTORS | 28 |
| 1.6 PLATELET-DERIVED GROWTH FACTOR (PDGF) AND INSU | JLIN-LIKE |
| GROWTH FACTOR (IGF) | 29 |

| 1.6.1 Animal and Human Studies using PDGF and IGF | 30 |
|---|-----------|
| 1.6.2 Animal and Human Studies using PDGF-BB | 32 |
| 1.7 TRANSFORMING GROWTH FACTOR (TGF) AND FIBROBLA | ST GROWTH |
| FACTOR (FGF) | 35 |
| 1.8 BONE MORPHOGENETIC PROTEINS (BMP) | 36 |
| 1.8.1 Animal Studies using BMP | 37 |
| 1.8.2 Reosseointegration with BMP | 38 |
| 1.9 ENAMEL MATRIX PROTEIN DERIVATIVES (EMD) | 38 |
| 1.9.1 Animal Studies using EMD | 40 |
| 1.9.2 Human Studies using EMD in Intrabony Defects | 41 |
| 1.9.3 Human Studies using EMD in Furcation Defects | 44 |
| 1.9.4 Human Studies using EMD in Gingival Recession Defects | 45 |
| 1.10 CONCLUSIONS | 47 |
| 1.11 REFERENCES | 49 |
| Chapter 2. SOFT TISSUE ATTACHMENT TO TITANIUM IMPLAN | TS COATED |
| WITH GROWTH FACTORS | 67 |
| 2.1 ABSTRACT | 68 |
| 2.2 INTRODUCTION | 69 |
| 2.2.1 Platelet-Derived Growth Factor (PDGF) | 72 |
| 2.2.2 Enamel Matrix Protein Derivatives | 72 |
| 2.3 HYPOTHESIS AND AIM | 74 |
| 2.4 SIGNIFICANCE OF THE AIM | 75 |
| 2.5 MATERIAL AND METHODS | 75 |
| 2.5.1 Animals | 75 |
| 2.5.2 Implants | 75 |
| 2.5.3 Pilot Study | 75 |
| 2.5.4 Major Experimental Study | 76 |

| 2.5.5 Preparation of Growth Factors | 76 |
|--|------|
| 2.5.5.1 Enamel Matrix Protein Derivative | 76 |
| 2.5.5.2 rhPDGF-BB | 77 |
| 2.5.6 Surgical Procedures | 77 |
| 2.5.7 Implant Retrieval | 78 |
| 2.5.8 Resin Embedding | 78 |
| 2.5.9 Confocal Laser Scanning Microscopy Analysis | 79 |
| 2.5.10 Thin Sections | 79 |
| 2.5.11 Histomorphometric Measurements | 80 |
| 2.5.12 Statistical Analysis | 81 |
| 2.6 RESULTS | 81 |
| 2.6.1 Histological Assessment – Qualitative Analysis at Four weeks | 81 |
| 2.6.2 Histological Assessment – Qualitative Analysis at Eight weeks | 84 |
| 2.6.3 Histomorphometric Measurements | 91 |
| 2.7 DISCUSSION | 97 |
| 2.8 REFERENCES | 106 |
| Chapter 3. FUTURE DIRECTIONS | 116 |
| 3.1 FUTURE DIRECTIONS | 117 |
| 3.2 REFERENCES | 119 |
| Chapter 4. APPENDIX | 123 |
| Appendix 4.1 Methyl methacrylate (MMA) embedding flow chart | 123 |
| Appendix 4.2 Methyl methacrylate (MMA) embedding procedure | 124 |
| Appendix 4.3 Thickness of fibroblast layer at the implant threads – 4 | week |
| measurements (raw data) | 125 |
| Appendix 4.4 Thickness of fibroblast layer at the implant threads (μm) – 8 | week |
| measurements (raw data) | 126 |

| Appendix 4.5 Depth of connective tissue penetration into the implant grooves – 4 week |
|--|
| measurements (raw data) |
| Appendix 4.6 Depth of connective tissue penetration into the implant grooves (μm) – 8 |
| week measurements (raw data) |
| Appendix 4.7 Thickness of fibroblast layer at the implant thread - 4 week |
| measurements |
| Appendix 4.8 Thickness of fibroblast layer at the implant thread - 8 week |
| measurements |
| Appendix 4.9 Depth of connective tissue penetration into the implant grooves - 4 week |
| measurements |
| Appendix 4.10 Depth of connective tissue penetration into the implant grooves – 8 week |
| measurements |
| Appendix 4.11 One-way ANOVA of the 4 week measurements of the thickness of the |
| fibroblast layer at the implant threads |
| Appendix 4.12 One-way ANOVA of the 8 week measurements of the thickness of the |
| fibroblast layer at the implant threads |
| Appendix 4.13 One-way ANOVA of the 4 week measurements of the depth of |
| connective tissue penetration into the implant grooves |
| Appendix 4.14 One-way ANOVA of the 8 week measurements of the depth of |
| connective tissue penetration into the implant grooves |
| Appendix 4.15 t-test of thickness of fibroblast layer at the implant threads between |
| control (uncoated) implants at 4 weeks versus 8 weeks |
| Appendix 4.16 t-test of thickness of fibroblast layer at the implant threads between |
| Emdogain® coated implants at 4 weeks versus 8 weeks |
| Appendix 4.17 t-test of thickness of fibroblast layer at the implant threads between |
| rhPDGF-BB coated implants at 4 weeks versus 8 weeks |

| Appendix 4.18 t-test of depth of connective tissue penetration into the implant groov | /es |
|---|-----|
| between control (uncoated) implants at 4 weeks versus 8 weeks1 | 40 |
| Appendix 4.19 t-test of depth of connective tissue penetration into the implant groov | ves |
| between Emdogain® coated implants at 4 weeks versus 8 weeks | 41 |
| Appendix 4.20 t-test of depth of connective tissue penetration into the implant groov | ves |
| between rhPDGF-BB coated implants at 4 weeks versus 8 weeks | 42 |